



PANEL STOP INSTALLATION

Install stop (as shown) locate pre-drilled holes at top & bottom rail, install stop using provided (2) 8 x 1 self tap screws



SOUTHEASTERN
DOOR COMPANY

Manufacturers of Custom Sliding Glass Doors



FIXED PANEL CLIP INSTALLATION


Install Fixed Panel Clip as shown using #8 x 3/4 SSM through clip into header. Note: Attachment to Stiles not required



**SOUTHEASTERN
DOOR COMPANY**

Manufacturers of Custom Sliding Glass Doors

DOOR HANDLE INSTALLATION




NOTE: DO NOT OVERTIGHTEN SCREWS OR USE POWER TOOLS FOR INSTALL. SECONDARY ACTUATOR SHOWN ABOVE IS AN OPTIONAL HANDLE FEATURE. SEE INSTALLATION DETAIL FOR HANDLE TO HANDLE & HANDLE TO EXTERIOR FLUSH PULL, AS THEY'RE DIFFERENT. GLASS DOOR IN FRONT OF SCREEN MUST USE AN EXTERIOR FLUSH PULL.



SOUTHEASTERN
DOOR COMPANY

Manufacturers of Custom Sliding Glass Doors

5/01/18



SCREEN DOOR STOP INSTALLATION


*Determine center location of door. Install stop in header
(as shown) using #8 x 3/4 SSM.*



**SOUTHEASTERN
DOOR COMPANY**

Manufacturers of Custom Sliding Glass Doors

5/01/18



FIXED PANEL SECURITY SCREW INSTALLATION OPTIONS


Option #1 Pre-drill a hole through sill track into fixed door stile at jamb using provided #8 x 3/4" self tap screw.

Option #2 Pre-drill a hole through header into fixed door stile at jamb using provided #8 x 3/4" self tap screw.



SOUTHEASTERN
DOOR COMPANY

Manufacturers of Custom Sliding Glass Doors



BY-PASS PANEL STOP INSTALLATION (OPTIONAL)


Determine preferred stop location of panel. Install stop in header (as shown) at chosen location with (2) 10x1 screws




Manufacturers of Custom Sliding Glass Doors

SCREEN MID-JAMB INSTALLATION

SLIDE MID-JAMB AS SHOWN UP INTO HEADER AND TOP OF TRACK.
INSTALL USING PROVIDED #10 X 1 SELF TAP SCREWS THRU PRE-DRILLED
HOLES IN JAMB. FIXED PANEL CLIP INSTALLED THRU MID-JAMB INTO HEADER
AS SHOWN BELOW





Notes:

All surfaces are to be clean.
Apply adequate amounts of sealant shown to provide effective seal.

Sealant must be a one-part high performance Polyurethane.

Sill Track to be set in a continuous bed of high quality non-shrink grout or Polyurethane sealant

Note: Aluminum sill pans are recommended with corners turned up behind jambs and threshold

Sill track fasteners to be sealed with silicone



PERIMETER SEALANT INSTRUCTIONS



**SOUTHEASTERN
DOOR COMPANY**

Manufacturers of Custom Sliding Glass Doors

5/01/18



5/01/18

S E SOUTHEASTERN DOOR COMPANY



Manufacturers of Custom Aluminum Sliding Doors

1505 COMMERCE LANE, P. O. BOX 794
JUPITER, FLORIDA 33458
PHONE: (561) 746-5493

DRAWING DESCRIPTION:

PANEL, 3TRK - SCREEN -9/16\"/>

DESIGNED BY	DATE	DRAWING No.	REV.
DRAWN BY <i>WTW</i>	DATE 2/1/17	ATLAS HP 3TXX.DWG	
APPROVED BY	DATE	AUTOCAD FILE NAME ATLAS HP 3TXX.DWG	SHEET 1 OF 1




Manufacturers of Custom Aluminum Sliding Doors

1505 COMMERCE LANE, P.O. BOX 794
JUPITER, FLORIDA 33458
PHONE: (561) 746-5493


DRAWING DESCRIPTION:

3PANEL, 3TRACK - 9/16\"/>

DESIGNED BY	DATE	DRAWING No.	REV.
DRAWN BY <i>W.T.W.</i>	DATE 2/1/17	ATLAS HP 3TXXX.DWG	
APPROVED BY	DATE	AUTOCAD FILE NAME ATLAS HP 3TXXX.DWG	SHEET 1 OF 1



5/01/18



SOUTHEASTERN
DOOR COMPANY



Manufacturers of Custom Aluminum Sliding Doors

1505 COMMERCE LANE, P.O. BOX 794
JUPITER, FLORIDA 33458
PHONE: (561) 746-5493

DRAWING DESCRIPTION:

3PANEL 2TRACK -3/4" INSULATED GLASS

DESIGNED BY	DATE	DRAWING No.	REV.
DRAWN BY <i>WTW</i>	DATE 2/1/17	AUTOCAD FILE NAME	SHEET 1 OF 1
APPROVED BY	DATE		



SE SOUTHEASTERN DOOR COMPANY

Manufacturers of Custom Aluminum Sliding Doors

1505 COMMERCE LANE, P.O. BOX 794
JUPITER, FLORIDA 33458
PHONE: (561) 746-5493

DRAWING DESCRIPTION:

4PANEL 3TRACK CDD - 9/16" LAMINATED
13/16" IG GLASS - 389" STILL RISER

DESIGNED BY

DATE

DRAWN BY

DATE

DRAWING No.

ATLAS HP 3TXX-XX.DWG

REV.


APPROVED BY

DATE


AUTOCAD FILE NAME

ATLAS HP 3TXX-XX.DWG

SHEET 1 OF 1



5/01/18



SOUTHEASTERN DOOR COMPANY



Manufacturers of Custom Aluminum Sliding Doors

1505 COMMERCE LANE, P.O. BOX 794
JUPITER, FLORIDA 33458
PHONE: (561) 746-5493

DRAWING DESCRIPTION:

4PANEL 4TRACK - 9/16" LAMINATED
13/16" IG LAMINATED - 325" SILL RISER

DESIGNED BY	DATE	DRAWING No.	REV.
DRAWN BY <i>WTW</i>	DATE 2/1/17	ATLAS HP 4TXXXX.DWG	
APPROVED BY	DATE	AUTOCAD FILE NAME ATLAS HP 4TXXXX.DWG	SHEET 1 OF 1




Manufacturers of Custom Aluminum Sliding Doors

1505 COMMERCE LANE, P.O. BOX 794
JUPITER, FLORIDA 33458
PHONE: (561) 746-5493

DRAWING DESCRIPTION:

2 PANEL, 2 TRACK POCKET - 9/16" LAMINATED
13/16" IG LAMINATED - 200" SILL RISER

DESIGNED BY	DATE	DRAWING No.	REV.
DRAWN BY <i>W.T.W.</i>	DATE 2/1/17	ATLAS HP 21XXP DWG	
APPROVED BY	DATE	AUTOCAD FILE NAME ATLAS HP 21XXP.DWG	SHEET 1 OF 1



5/01/18



SE SOUTHEASTERN
DOOR COMPANY

Manufacturers of Custom Aluminum Sliding Doors

1505 COMMERCE LANE, P.O. BOX 794
 JUPITER, FLORIDA 33458
 PHONE: (561) 746-5493

DRAWING DESCRIPTION:
 4-PANEL 3TRACK (CH) DBL. POCKET - 9/16" LAMINATED
 13/16" IG LAMINATED - 3.25" SILL RISER

DESIGNED BY	DATE	DRAWING NO.	REV.
DRAWN BY <i>WTW</i>	DATE 2/1/17	ATLAS HP 3TPXX-XXP.DWG	
APPROVED BY	DATE	ATLAS HP 3TPXX-XXP.DWG SHEET 1 OF 1	



SOUTHEASTERN
DOOR COMPANY

Manufacturers of Custom Aluminum Sliding Doors

1505 COMMERCE LANE, P.O. BOX 794
JUPITER, FLORIDA 33458
PHONE: (561) 746-5493

DRAWING DESCRIPTION:

3PANEL, 3TRACK POCKET - 9/16\"/>

DESIGNED BY

DATE

DRAWN BY

DATE

APPROVED BY

DATE

DRAWING No.


ATLAS HP 3TXXXP DWG

REV.

AUTOCAD FILE NAME

ATLAS HP 3TXXXP DWG

SHEET 1 OF 1



EXTERIOR

INTERIOR

ANCHOR TYPES:
A- 1/4" STAINLESS FH OR PH TAPCON BY ITW
BUILDEX WITH 1 3/4" MIN. EMBED. INTD 3000 PSI
CONCRETE OR BLOCK
B- 1/4" STAINLESS FH OR PH TAPCON BY ITW
BUILDEX WITH 1 1/4" MIN. EMBED. INTD PT WOOD
(SG) = .55)
C- 1/4-14 SELF DRILLING GRADE 5 SCREWS INTD
1/8" METAL STRUCTURES



SOUTHEASTERN
DOOR COMPANY

Manufacturers of Custom Sliding Glass Doors

1505 COMMERCE LANE
JUPITER, FLORIDA 33458
PHONE: (561) 746-5493


DRAWING DESCRIPTION:

HEAD DETAIL

DESIGNED BY	DATE	DRAWING No.	REV.
DRAWN BY 3/20/17	DATE	AUTOCAD FILE NAME HEADDETAIL.DWG	SHEET 1 OF 1
APPROVED BY	DATE		

EXTERIOR

INTERIOR



SILL TRACK TO BE SET IN HIGH
QUALITY NON-SHRINK GROUT

TWO ROWS OF ANCHORS
STAGGERD AT 4" FROM THE ENDS
AND CLUSTERS OF 6 ANCHORS
AT VERTICAL STILES
(MUST USE #14 FLATHEAD ANCHORS)

ANCHOR TYPES:
A- 1/4" STAINLESS FH TAPCON BY ITW BUILDEX
WITH 1 3/4" MIN. EMBED. INTO 3000 PSI CONCRETE
OR BLDCK
B- 1/4" STAINLESS FH TAPCON BY ITW BUILDEX
WITH 1 1/4" MIN. EMBED. INTO PT WOOD (<SG>=.55)
C- 1/4-14 SELF DRILLING GRADE 5 SCREWS INTO
1/8" METAL STRUCTURES



SOUTHEASTERN
DOOR COMPANY

Manufacturers of Custom Sliding Glass Doors

1505 COMMERCE LANE
JUPITER, FLORIDA 33458
PHONE: (561) 746-5493

DRAWING DESCRIPTION:

IMPACT 3.25 TRACK CROSS SECTION

DESIGNED BY _____ DATE _____
DRAWN BY _____ DATE _____

DRAWING No.

REV.

APPROVED BY _____

DATE _____


AUTOCAD FILE NAME

SHEET 1 OF 1

5/01/18

EXTERIOR

5/01/18



INTERIOR

ANCHOR TYPES:
A- 1/4" STAINLESS FH TAPCON BY ITW BUILDEX
WITH 1 3/4" MIN. EMBED. INTO 3000 PSI CONCRETE
OR BLOCK
B- 1/4" STAINLESS FH TAPCON BY ITW BUILDEX
WITH 1 1/4" MIN. EMBED. INTO PT WOOD (SG) = .55
C- 1/4-14 SELF DRILLING GRADE 5 SCREWS INTO
1/8" METAL STRUCTURES



SOUTHEASTERN
DOOR COMPANY

Manufacturers of Custom Sliding Glass Doors

1505 COMMERCE LANE
JUPITER, FLORIDA 3345
PHONE: (561) 746-5493

DRAWING DESCRIPTION:

JAMB CROSS SECTION

DESIGNED BY
DATE

DRAWING No.

REV.

DRAWN BY
3/20/17

DATE

APPROVED BY

DATE

AUTOCAD FILE NAME
JAMBDETAIL.DWG

SHEET 1 OF 1